

Web Images Video Maps News Shopping Gmail more ▼

Sign in



CLR type system and base class

Search

Advanced Search  
Preferences

Web Show options...

Results 1 - 10 of about 62,700 for **CLR type system and base class**. (0.27 seconds)

# 1. [InformIT: Programming in .NET: The \*\*Type System\*\* > The Relationship ...](#)

... **type** usually directly or indirectly inherits from a common **base class** called ... In general terms, the CLR's **type system** can be regarded as the union of ...  
[www.informit.com/articles/article.aspx?p=30608](http://www.informit.com/articles/article.aspx?p=30608) - [Cached](#) - [Similar](#)

## 2. [CLR Inside Out: Extending \*\*System.Diagnostics\*\*](#)

The Framework has a **base switch class** called **System.Diagnostics**. .... TraceSource will call the **base type's** ShouldTrace(TraceEventType) method anyway. ...  
[msdn.microsoft.com/en-us/magazine/cc300790.aspx](http://msdn.microsoft.com/en-us/magazine/cc300790.aspx) - [Cached](#) - [Similar](#)

## 3. [CLR Inside Out: \*\*Base Class\*\* Library Performance Tips and Tricks](#)

The **base class** library (BCL) contains such fundamental types that everyone ... you typically parse to find out if a string represents data of a specific **type**. .... The NTFS file **system** also has an internal buffer, and its size is 64KB. ...  
[msdn.microsoft.com/en-us/magazine/cc163670.aspx](http://msdn.microsoft.com/en-us/magazine/cc163670.aspx) - [Cached](#) - [Similar](#)  
[More results from msdn.microsoft.com »](#)

## 4. [.NET \*\*Type System\*\*—Object at C# Online.NET \(CSharp-Online.NET\)](#)

All object types inherit, either directly or indirectly, from the CLR **type System.Object class**. A major facility of the Object **class** is its ability to ...  
[en.csharp-online.net/.NET\\_Type\\_System—Object](http://en.csharp-online.net/.NET_Type_System—Object) - [Cached](#) - [Similar](#)

## 5. [Wrox Article:Common \*\*Type System\*\* \(CTS\) : One Platform to Rule Them ...](#)

Thankfully, the CLR supports them just as well as any other **type** of language. ... For example, if a trusted managed API in the **Base Class Libraries** (BCL) ...  
[www.wrox.com/WileyCDA/Section/Common-Type-System-CTS-id-291303.html](http://www.wrox.com/WileyCDA/Section/Common-Type-System-CTS-id-291303.html)  
- [Cached](#) - [Similar](#)

## 6. [What's So Common About the Common \*\*Type System\*\* \(CTS\)?](#)

This **base class** is called **System.Object**. The designers of CTS were faced with the task of creating a **type system** in which every thing is an object, ...

[www.csharp4help.com/archives3/archive525.html](http://www.csharp4help.com/archives3/archive525.html) - [Cached](#) - [Similar](#)

7. [.NET Framework - Wikipedia, the free encyclopedia](#)

NET Framework introduces a Common **Type System**, or CTS. .... NET Framework **class** library is divided into two parts: the **Base Class** Library and the Framework **Class** Library. .... NET Framework 3.0, version 3.5 uses the **CLR** of version 2.0. ...

[en.wikipedia.org/wiki/.NET\\_Framework](http://en.wikipedia.org/wiki/.NET_Framework) - [Cached](#) - [Similar](#)

8. [BCL Team Blog](#)

Create this **type** of **ResourceManager** with the standard constructors. .... Since the BCL team is a part of the larger **CLR** team, when we post something on the BCL Team ... The CTP includes a **CodeContracts** **class** in the **System.Diagnostics**. ...

[blogs.msdn.com/bclteam/](http://blogs.msdn.com/bclteam/) - [Cached](#) - [Similar](#)

9. [Programming in the .NET Environment - Google Books Result](#)

by Damien Watkins, Mark J. Hammond, Brad Abrams - 2002 - Computers - 523 pages  
A number of reference types are supplied with the **Base Framework**. ... either directly or indirectly, from the **CLR type System**. Object **class**. ...

[books.google.com/books?isbn=0201770180...](http://books.google.com/books?isbn=0201770180...)

10. [CodeProject: .NET Type Internals - From a Microsoft CLR ...](#)

Sep 13, 2007 ... Reference Types do not have **System.ValueType** in their **base class** ... If **CLR** finds a **type** being loaded has a **base type** that is marked as ...

[www.codeproject.com/KB/cs/net\\_type\\_internals.aspx](http://www.codeproject.com/KB/cs/net_type_internals.aspx) - [Cached](#) - [Similar](#)

Searches related to: **CLR type system and base class**

[clr common language runtime](#)

[clr garbage collector](#)

[clr asp net](#)

[clr in c#](#)

Google   
1 2 3 4 5 6 7 8 9 10 [Next](#)

CLR type system and base class

Search

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)